

SOUTH DELHI MUNICIPAL CORPORATION
OFFICE OF THE DEPUTY HEALTH OFFICER, CENTRAL ZONE
JAL VIHAR, SHIV MANDIR MARG, NEW DELHI-24

No: DHO/CNZ/2020/D- 960


Dated: 02.12.20

HEALTH CERTIFICATE

1. Name of the school: HEMNANI Public school
2. Address of the school: BABA NEBRAJ SCHOOL MARG, LAJPAT NAGAR-1 N.D
3. Shift: Morning
4. No. of student: Boys: 486 Girls: 242 Total: 728
5. No. of staff: Gents: 05 Ladies: 45 Total: 50

6. Accommodation provide are as under:-

- Floor areas in the classrooms are sufficient.
- Classrooms are well ventilated and well lighted.
- Classrooms are kept neat and clean.
- Building/Classrooms do not require white wash.
- Drinking water is wholesome.
- Latrine arrangement is sanitary.
- Number of Latrines and Urinals are sufficient.
- Separate toilet arrangement for Boys & Girls are present.
- Separate toilet arrangement for staff is present.
- The overall facilities are adequate.


Dy. Health Officer
Central Zone
Dy. Health Officer
Central Zone, SDMC

Remark: This certificate is valid up to one year from date of issue and has no bearing on structural stability and unauthorized construction in the school premises.

FORM 'H': FORM FOR ISSUING FIRE SAFETY CERTIFICATE
[See sub-rule (1) of rule 35]
GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE, NEW DELHI-110001

No.F.6/DFS/MS/School/2021/SZ/ 386

Dated: 31/5/2021

FIRE SAFETY CERTIFICATE

Certified that the Hemnani Public School located at Baba Nebhraj School Marg, Lajpat Nagar-I, New Delhi-110024 comprised of Ground & Two Upper Floors owned / occupied by Sindhi Education Society has already been issued Fire Safety Certificate Vide letter No. F6/DFS/MS/School/2018/SZ/867 dated 27/04/2018. The premises was re-inspected by the officer concerned of Fire Service on 15.04.2021 in the presence of Smt.Geeta Balani (Principal) and observed that all the fire prevention and fire safety arrangements provided in the premises found in good working condition. The premises have therefore deemed complied with Circular No. 262-362 dated 17/01/2005 and that the building / premises is fit for occupancy class "Educational" (Group-B) with effect from 31/5/2021 for a period of three years in accordance with rule 36 unless renewal under rule 37 or sooner cancelled under rule 40 and subject to compliance of the conditions under rule 38 of the DFS rules, 2010.

Issued on 31/5/21 at New Delhi by.



(SUNIL CHAUDHARY)
DY. CHIEF FIRE OFFICER (S.Z.).

Copy to :-

1. The Principal, Hemnani Public School, Baba Nebhraj School Marg, Lajpat Nagar-I, New Delhi-110024.
2. The Director of Education, GNCT of Delhi, Old Secretariat, Delhi-110054.

Conditions for the validity of Fire Safety Certificate:

1. All the means of escape / entry / exit shall be kept free from any obstruction.
2. All the fire safety arrangement provided there in shall be maintained in good working conditions at all times.
3. Any loss of life or property due to non- functional fire safety measure shall be at the responsibility of the management.
4. All the staff members must know the correct method of operation of fire fighting system.
5. This Fire Safety Certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3. of UBBL-2016), if any.
6. "The owner / Occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule37] along with a copy of this Certificate, six months prior to its expiry".
7. The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on WWW.dfs.Delhigovt.nic.in.

DELHI JAL BOARD

GOVT. OF NCT OF DELHI

7855

ZONAL LABORATORY (SOUTH) OKHLA WATER WORKS NEW DELHI -25

From Hemnani Public School, Baba Nellaiy School Marg,
Lajpat Nagar New Delhi-110024,
O UBT Tank No medical Room (2) Tap for drinking Nr Nursery Wing, U.P. Block,

f. : A.C.W.A. (SOUTH) / Paid / 2020-21 / Pg-92 / challan No 310, Dt. 4/3/2021 Date 17/03/2021


Sl. No.	PARTICULARS	Units	Result		Remarks
	PHYSICAL EXAMINATION		(1)	(2)	
	Date of Collection/Report		16-03-2021		
	Colour/Clarity	Hazen	— Clear —		
	Odour		— No. Obj. —		
	Turbidity (1-5)	NTU	4.05	3.10	
	Ph-Value (6.5-8.5)	—	7.3	7.4	
	Conductivity	µmho/cm ²	195	194	
	T.D.S. (500-2000)	mg/l	127	126	
	CHEMICAL EXAMINATION				
	Phenolphthalin Alkalinity	mg/l	NIL	NIL	
2.	Total Alkalinity as CaCO ₃ (200-600)	mg/l	56	54	
3.	Total Hardness as CaCO ₃ (200-600)	mg/l	78	76	
4.	Carbonate Hardness	mg/l	56	54	
5.	Non Carbonate Hardness	mg/l	22	22	
6.	Calcium Hardness	mg/l	52	54	
7.	Magnesium Hardness	mg/l	26	22	
8.	Ammonia (Free & Saline as N) (0.5)	mg/l	ND	ND	
9.	Nitrite (as N)	mg/l	ND	ND	
10.	Nitrate (as NO ₃) (45)	mg/l	1.9	1.8	
11.	Sulphate (as SO ₄) (200-400)	mg/l	22.1	22.0	
12.	Chloride (as Cl) (250-1000)	mg/l	12	12	
13.	Iron (as Fe) (0.3)	mg/l	0.02	0.02	
14.	Fluoride (as F) (1-1.5)	mg/l	0.4	0.4	
15.	Calcium as Ca (75-200)	mg/l	20.8	21.6	
16.	Magnesium as mg (30-100)	mg/l	6.24	5.28	
17.	Chromium (as Cr ⁶⁺) (0.05)	mg/l	—	—	
18.	Cyanide (as CN) (0.05)	mg/l	—	—	
19.	Copper (as Cu) (0.05-1.5)	mg/l	—	—	
20.	Residual Chlorine	mg/l	1.0	NIL	

Remarks: As per IS-10500-2012 :- On the basis of tested Parameters, the

above both Sample's results within the Permissible
Limit, Subject to Bact. Satisfactory report.



ASSTT. CHEMIST


19/3/2021

CHEMIST



ACWA

Copy to : 1. Director T&QC
2. CWA (W&S) III

DELHI JAL BOARD (Govt of NCT of Delhi)
ZONAL QUALITY CONTROL LABORATORY (SOUTH)
WATER WORKS, OKHLA, NEW DELHI-110025

No. DJB/DTQC/ CWA (C) / ACWA (south)/ Paid/ Bact. / 2020-2021/122-123/16.03.2021

Bacteriological Analysis Report as per IS 10500:2012

To M/s Hemnani Public School.
Baba Nehru Raj School
Marg, Lajpat Nagar - New Delhi - 110024
Party Ref.No./Date : HPS/2021/23/194 / 28.02.2021
Deptt.Challan No. /date: 310/4.03.2021
Dt.of sample collection: 16.3.2021
No. of Sample: Two (02)
Collected by: Name- Sh. V-P Singh
Desig- Bact.

Sr.No. as in record book	Particulars	Clarity	Residual chlorine	Total coliform/ E.coli in 100 ml sample
1.	UG Tank Nr Medical Room	Clear	1.0	0
2.	Tap for drinking Nr. Nursery Wing, Gr. Floor.	Clear	Nil	150

RESULT: ☒ Collected water sample(s) as mentioned above at Sr.No. 01 was/ were found bacteriological satisfactory, hence the water/source is fit for drinking/recreational purpose subject to satisfactory attached Physical-Chemical Analysis report also.

☒ Collected water sample(s) as mentioned above at Sr.No. 02 was/ were found bacteriological unsatisfactory, hence it is advised that the water/source may not be fit for drinking/recreational purpose as such.

[Signature]
Asstt. Bact. 30.3.2021

[Signature]
30/03/2021
Bacteriologist (South)

[Signature]
ACWA (South)


DEEPAK HIRANI
M.C.A., F.I.I.A, Architect
A-63, Sector-33, Noida
U.P. -201301

PH. : 9810066213
E-mail : deepakhirani-22@yahoo.co.in

TO WHOM SO EVER IT MAY CONCERN

This is to certify that the school building in favour of SINDHI EDUCATION SOCIETY, LAJPAT NAGAR -I, for the school HEMNANI PUBLIC SCHOOL is fit for occupancy & my technical observations are as under :-

Purpose for which certificate	:	FITNESS CERTIFICATE
Date as on which certificate is issued	:	March 27, 1998
Name of the School	:	HEMNANI PUBLIC SCHOOL
Brief description of the property	:	G.F. F.F. S.F.
Location, Street, Ward No.	:	LAJPAT NAGAR -I, NEW DELHI
Proximity to civic amenities	:	All civic amenities are available.
Means and proximity to surface communication by which the school is served	:	Public transport available on main road of the locality
Area of land supported by documentary proof, Shape dimensions, and physical features	:	As per plans
Roads, Street, or Lane, on which land is abutting	:	As per plans
It is free hold or lease, hold land	:	Lease Hold
Site plans	:	Attached
Technical details of building on Separate sheet	:	Enclosed
Year of commencement of construction & year of Completion.	:	
a) Ground Floor	:	1978
b) First Floor	:	1978
c) 2nd Floor	:	1998


26/10/2021
DEEPAK HIRANI
Architect
Regd. No. CN/87/110824
Add. A-63, Sector-33, Noida-201301

ANNEXTURE

1. No. of floors and height of each floor : 12'-0"
- (a) Ground floor : 12'-0"
- (b) First floor : 12'-0"
- (c) Second floor : 12'-0"
2. Plinth area floor wise,
 - Ground Floor : 7020.00 sft.
 - First floor : 7020.00 sft.
 - Second Floor : 4260.00 sft.
3. Year of construction
 - Ground floor : 1978
 - First floor : 1978
 - Second floor : 1998
4. Estimate Future life : 50 years
5. Type of construction load bearing walls / R.C.C. Frame : Load bearing walls
6. Type of foundations : Traditional spread type
7. (A) Wall in plinth & above : Brick masonry in 1:6
8. Partitions : Brick masonry in 1:4
9. Doors and windows : Angle iron frames and wooden panelled Doors shutters
10. Flooring : Floor wise
 - (A) Ground Floor : Cement concrete
 - (B) First Floor : Cement concrete
 - (C) Barsati : Mossaic in grey cement
11. Finishing Floor -wise : Plaster in 1:6 with dry distemper
12. Roofing and terracing : R.C.C. with mud phaska

Deepak Hirani

DEEPAK HIRANI
Architect

Regd. No. CA/87/11082

26/10/2021


13. Special architectural or decorative Features if any ? : Nil
14. (a) Internal wiring, surface wiring or conduit : Concealed conduit
- (b) Class of fittings, Superior/ ordinary/ or poor : Ordinary
15. Sanitary installation
- (a) No. of water closets : 27
No. of lavatory basins : 15
No. of urinals : 11
- (b) Class of fitting, Superior colored / superior White / ordinary : White

DEEPAK HIRANI

DEEPAK HIRANI
Architect

Regd. No. CA/87/11082
Add. A-63, Sector-33, Noida-201301

26/10/2021



CENTRAL BOARD OF SECONDARY EDUCATION
(AFFILIATION BRANCH)

Shiksha Kendra, 2 Community Centre, Preet Vihar, Delhi-110 301
SPEED POST

Dated 24/06/2009

No. CBSE/Aff./2730201/SS-00744-0910/2009/186705

The Manager,
Hemnani Public School,
Opp G Block Lajpat Nagar I,
New Delhi 110024.

Sub Upgradation to +2 level in respect of above said school

Sir/Madam,

With reference to your application dated 23/6/2008 and subsequent inspection of the school, I am directed to convey sanction for provisional affiliation to the above said school for Senior School Certificate Examination for a period of three years w.e.f. 1.4.2008 to 31.3.2011 in the following subjects:-

- (a) Languages - ENGLISH CORE, HINDI CORE,
(b) Elective Subjects HISTORY, POLITICAL SCIENCE, ECONOMICS,
MATHEMATICS, PHYSICAL EDUCATION, BUSINESS
STUDIES, ACCOUNTANCY & INFORMATICS
PRACTICES.

The sanction is subject to the fulfillment of the following conditions in addition to the general conditions intimated at the time of grant of provisional affiliation for secondary classes

- 1 The school will provide additional suitable facilities for classes XI and XII, as per requirements laid down in the rules.
- 2 It will increase the number of books in the Library and equipments in the Laboratories/Workshops with adequate games facilities etc. in consonance with the requirements of the Board for Classes XI & XII.
- 3 It will appoint only qualified staff to teach Classes XI & XII as per requirements laid down by the Board.
- 4 It will provide facilities for adequate co-curricular and extra-curricular activities for the wholesome development of the students.
- 5 It will abide itself by the Affiliation Bye Laws of the Board and other rules and regulations prescribed by the Board from time to time.
- 6 The school will enroll students proportionate to the facilities available in the school as prescribed in the Affiliation Bye-Laws of the Board which shall not in general exceed the optimum number as under from Pre-Primary to Class XII -

Campus area	Enrolment	No. of Sections (pre-primary to X)	No. of Sections at Sr. Secondary (XI & XII)
(a) 1.0 acre	1250	02 in each class	04 in each class
(b) 1.5 acre	1875	03 in each class	04 in each class
(c) 2.0 acre	2500	04 in each class	04 in each class

Contd. 2

School running on bigger campus of more than 02 acres, the number of students shall be restricted as per the actual facilities in the school which shall be proportionate to the optimum number mentioned at (a), (b) and (c) above.

- (e) Schools running on less than 01 acre campus shall restrict number of students as follows:-
- | Category | Area of land | No. of students |
|--|---------------|--------------------|
| (i) Secondary School | 2000 sq. mtrs | 600 upto Class X |
| (ii) Sr. Secondary School with two streams | 3000 sq mtrs | 900 upto Class XII |

7. School will provide physical facilities as per norms of the Board. The facilities reported at the time of last inspection are as given under:-

- | | |
|--|------------------------------------|
| (i) Area of school campus | - 5584.66 Sqm/1.383 acres |
| (ii) Total built up area | - 1700 Sqm. |
| (iii) Area of play ground | - 3885 Sqm. |
| (iv) No. of class rooms | - 19 |
| (v) No. of labs | - 01 |
| | Maths - 01 |
| | Computer Science - 01 |
| | Composite Science lab - 01 |
| (vi) Size and number of books in the Library | Size 32X20 Sqm. No. of Books 3825. |

8. The school will strictly adhere with all rules regarding safety of students including Fire fighting, Drinking water, Sanitation, Transportation, etc.
9. Annual fee of Rs. 4500/- @ Rs 1500/- per annum for three years (01.04.2008 to 31.03.2011) be also remitted at an early date.
10. The school will apply for further Extension of Provisional Affiliation on the prescribed form together with the prescribed fee of Rs. 12,500/- and other essential documents in the preceding year before the expiry of the date.
11. The school is eligible to open CBSE pattern class XI w.e.f 1.4.2008. Accordingly, 1st Batch of class XII of the school will appear at the CBSE Examination to be held in 2010.
12. Other conditions are as per Annexure 'A' enclosed.
13. Special conditions to be complied within three months:-

- The school is required to appoint qualified/trained Principal in the School and to submit copy of the appointment letter, joining report and qualifications /experience certificates of new incumbent.
- The school is required to submit Fire Safety Certificate with validity period.
- The school is required to reconstitute School Managing Committee with 2 representative each from parents, teachers, Directorate of Education, Advisory Board.
- The school is required to provide a copy of latest month's Acquittance Roll with Banker Certificate.

Yours faithfully,

(JOSEPH EMMANUEL)
DEPUTY SECRETARY (AFF)

Dated /06/2009

No. CBSE/Aff./ 2730201/SS-00744-0910) (2730201)/2009
Copy to:-

1. The Principal, Hemnani Public School, Opp G Block Lajpat Nagar I, New Delhi -110024.
2. The Dy Director of Education, O/o the Dy Director of Education, Distt South, Defence Colony, New Delhi
2. The Regional Officer, CBSE, P.S. 1-2, Institutional Area, I.P Ext. Patparganj, Delhi -92
- With the request to allow the school to sponsor candidates strictly on the norms stated above.
3. The AMC Unit, CBSE, Preet Vihar, Delhi.

DEPUTY SECRETARY (AFF)

School running on bigger campus of more than 02 acres, the number of students shall be restricted as per the actual facilities in the school which shall be proportionate to the optimum number mentioned at (a), (b) and (c) above.

(e) Schools running on less than 01 acre campus shall restrict number of students as follows:-

Category	Area of land	No. of students
(i) Secondary School	2000 sq. mtrs	600 upto Class X
(ii) Sr. Secondary School with two streams	3000 sq. mtrs	900 upto Class XII

7. School will provide physical facilities as per norms of the Board. The facilities reported at the time of last inspection are as given under:-

(i)	Area of school campus	- 5584.66 Sqm/1.383 acres
(ii)	Total built up area	- 1700 Sqm
(iii)	Area of play ground	- 3885 Sqm
(iv)	No. of class rooms	- 19
(v)	No. of labs	- 01
	Maths	- 01
	Computer Science	- 01
	Composite Science lab	- 01
(vi)	Size and number of books in the Library	Size 32X20 Sqm No. of Books 3825

8. The school will strictly adhere with all rules regarding safety of students including Fire fighting, Drinking water, Sanitation, Transportation, etc.
9. Annual fee of Rs. 4500/- @ Rs 1500/- per annum for three years (01.04.2008 to 31.03.2011) be also remitted at an early date.
10. The school will apply for further Extension of Provisional Affiliation on the prescribed form together with the prescribed fee of Rs. 12,500/- and other essential documents in the preceding year before the expiry of the date.
11. The school is eligible to open CBSE pattern class XI w.e.f 1.4.2008. Accordingly, 1st Batch of class XII of the school will appear at the CBSE Examination to be held in 2010.
12. Other conditions are as per Annexure 'A' enclosed.
13. Special conditions to be complied within three months:-

- (i) The school is required to appoint qualified/trained Principal in the School and to submit copy of the appointment letter, joining report and qualifications /experience certificates of new incumbent.
- (ii) The school is required to submit Fire Safety Certificate with validity period.
- (iii) The school is required to reconstitute School Managing Committee with 2 representative each from parents, teachers, Directorate of Education, Advisory Board.
- (iv) The school is required to provide a copy of latest month's Acquittance Roll with Banker Certificate.

Yours faithfully,

(JOSEPH EMMANUEL)
DEPUTY SECRETARY (AFF)

Dated /06/2009

No. CBSE/Aff./ 2730201/SS-00744-0910) (2730201)/2009
Copy to:-

1. The Principal, Hemnani Public School, Opp G Block Lajpat Nagar I, New Delhi -110024
2. The Dy Director of Education, O/o the Dy. Director of Education, Distt South, Defence Colony, New Delhi
2. The Regional Officer, CBSE, P.S. 1-2, Institutional Area, I.P Ext Patparganj, Delhi -92
- With the request to allow the school to sponsor candidates strictly on the norms stated above
3. The AMC Unit, CBSE, Preet Vihar, Delhi.

DEPUTY SECRETARY (AFF)

CENTRAL BOARD OF SECONDARY EDUCATION
SHIKSHA KENDRA, 2, COMMUNITY CENTRE, PREET VIHAR,
DELHI-110 092.

Annexure-A

Aff.No. 2730201/2009

Other Conditions:-
Conditions for which compliance to be submitted within three months of issue of sanction Letter:-

1. Running starting of Class IX/X & XI/XII without prior Provisional Affiliation upto Secondary level/Sr. Secondary level from the Board would be unauthorized classes and school shall be responsible for the consequences arising out of it.
2. Non-submission of application for extension of Provisional Affiliation by 30th June of the year preceding to the year by which provisional affiliation granted, expires, would also attract violation of provisions of affiliation Bye Laws.
3. School will not prepare any student start any class for any other Board except CBSE from their CBSE affiliated school building/premises.
4. The Board would not allow any transfer of property sale of school by one society/ Management Trust to another Society/Management Trust through agreement/sale deed and the school shall not be closed down in the same premises. In case such transaction is effected explicitly or implicitly the Board shall withdraw its affiliation with immediate effect.
5. Pay & Allowances to staff should be revised time to time to bring it at par with that to State Government.
6. The service conditions be strictly followed as per State Education Act and Staff be given appointment confirmation letters etc. accordingly.
7. 5-6 names of persons not below the rank of Principal of Sr. Secondary School affiliated with the Board be recommended so that two of them may be approved by the Board as its nominee in the School Managing Committee.
8. The school shall maintain section teacher ratio at least 1:1.5 at each level i.e. Primary (I-V) Secondary (VI-X) and Sr. Secondary (XI-XII).
9. The school has to constitute a committee for protection of woman from sexual harassment at the work place and to abide by the guidelines and norms prescribed by the Hon'ble Supreme Court of India in W-P Criminal No. 666-70 of 1992 Vishakha and other State of Rajasthan and others delivered on 13.8.1997.
10. Rs- 4500 - on account of annual fee for 03 years may please be remitted.
11. The school shall maintain Reserve Fund in the joint names of the Manager of the school concerned and the Chairman of the Board in the scheduled Bank to the extent indicated below:-

Up to	500	Students	Rs. 60,000/-
501	750	"	Rs. 80,000/-
751	1000	"	Rs. 1,00,000/-
Above	1000	"	Rs. 100 - per student round to nearest thousand

The interest accruing out of the deposit of reserve fund made by the Institution at the time of affiliation extension of affiliation be not withdrawn by the management under any circumstances what so ever.

DY. SECRETARY



Certificate of Registration of Societies.

ACT XXI OF 1860.

No. S. 954 of 1956 - 1957.

I hereby certify that Sindhi Education Society.

has this day been registered under the Societies' Registration Act, XXI of 1860.

Given under my hand at New Delhi

this Tenth day of April.

One thousand nine hundred and Fifty - Six

Fee Rs. 50/-/- paid.



(T. J. GONDHALEKAR)

Registrar of ~~Joint Stock~~ Companies, Delhi

CERTIFIED W/S 19 of S.R. Act 1860

PRINCIPAL
HEMNANI PUBLIC SCHOOL
Baba Nehru School
Lajpat Nagar-I, New Delhi-110024

OFFICE OF THE DEPUTY DIRECTOR OF EDUCATION (SOUTH)
ZONE S-17, DEFENCE COLONY, NEW DELHI

No. F.111-14/11/89-Z-S-17/91

Dated:

To

The Manager
S.E.S.K.M. HEMNANI SCHOOL
Oppo. C Block Lajpat Nagar-I
New Delhi 110024

Sub: Upgradation of school from Middle to Secondary stage
with effect from academic session 1991-92 (without aid).

Sir,

With reference to your application on the subject cited above I am directed to convey the approval of the Director of Education, Delhi for the upgradation of the existing Middle school to Secondary school level without aid w.e.f. 1991-92 session subject to the fulfilment of the following terms & conditions:

1. That the school shall abide by the provision of DSEA&Rs, 1973 framed thereunder as well as the instructions issued from time to time.
2. That the school shall admit students without any discrimination of caste and creed.
3. That the school shall meet the additional liability of secondary classes.
4. That a proper library shall be established and facilities for reading-room/s hall also be made available for students as well as teachers. Books as per the ratio of 10 books per student shall be purchased and made available to the students.
5. That adequate sports material shall be purchased and made available to the students.
6. That the school shall strictly abide by the provision of section 10(1) of the DSEA&Rs, 1973.
7. That the school shall not run any unrecognised classes or any other activities within the school premises and all the recognised classes shall be run at one place at the premises of the school immediately, if any.
8. That the school shall dispense with the service of unqualified and over-aged staff, if any immediately.
9. That the service contract between the management and the employees be revised as DSEA&Rs, 1973 shall be executed immediately.

Contd....

The management committee shall regulate the functioning of school strictly in accordance with the provisions of DSEA&Rs, 1973.

12. Managing committee of the school shall not increase fee in future academic session without prior approval of Director of Edn. which is a mandatory requirement under sub-section (3) of section 17 of DSEA, 1973.
13. That all the facilities prescribed under rule 50 & 51 of the DSER, 1973 shall be made available to the students.
14. Proof to the effect that qualified staff has been appointed as per R.Rs be provided for the verification of E.O.
15. That staff has been paid all arrear and being paid as per Fourth Pay Commission. Proof be given to E.O. for verification.
16. That the arrangements for good drinking water shall be made available to all the students as well as to the teachers and sanitary facilities shall also be provided to the students adequately.
17. That the school shall comply with the norms of the CBSE for affiliation for examination purposes.
18. Medical facilities/leave, LTC bonus, teaching allowances, GPF etc. be paid since recognition of school.
19. Provident fund register be maintained and cash-book be completed and shown to E.O. of the zone concerned for verification from time to time.
20. That the management of the school shall create a reserve fund of Rs. 30,000/-.
21. That the violation of any institutions/conditions/rules and regulation of the department shall lead to the withdrawal of recognition of the school.
22. That the science labs have to be improved/renovated by school latest by 31.8.91.
23. That report about fulfilment of the above conditions shall be sent to the E.O. every six month.

No.F.III-14/11/89/Z-S-17/91

Copy to: DIR OF EDN

2. E.O.Zone S-173. DDE (CW) & DDE Act
5. R.O.(State-Unit) ~~to be sent to~~
6. Secy. CBSE Preet Vihar, New Delhi for affiliation purpose
7. ADE(S)
8. Master file/concerned file.

Yours faithfully,

(MRS.USHA MENON)
Dy. Director of Edn.
Dist. South

Date: 30/4/91

Put up to the Manager for information
Manager *[Signature]* 11/5/91

(MRS.USHA MENON)
Dy. Director of Edn.
Dist. South